

MAP 24 Banner Specs



Skirt Banner
32' with Sound Wings
24' Without Wings
44" High*
Top Grommets every 12"


*Unlevel ground may cause a deck height of less than 44"

MAP 24
Dimensional Drawings



MAP 24 Rigging Plan





TOWING DIMENSIONS		WEIGHT	
Overall length (including hitch	28 ft. 7 in. (8.72m)	Gross vehicle weight	4,240 lbs. (1923.2kg)
Stage length	24 ft. (7.32m)	Hitch tongue load (empty)	350 lbs. (158.8kg)
Stage width	8 ft. 5.5 in. (2.58m)		
Overall height	9 ft. 5.5 in. (2.88m)		
		ALLOWABLE LOADS	
		Stage floor load	100 psf (15.2 kgf/m²)
PERFORMANCE DIMENSIONS			
Stage floor	24 ft. X 16 ft. (7.3m x 4.9m)		
Stage height (from ground)	44 in. (1.1m)	TENT TOP LOADING	
		Single side loaded	1640 lbs. (743.9kg)
		Both sides loaded	2800 lbs. (1270kg)
MAXIMUM FRONT CANOPY			
Height from floor	12 ft. 6 in. (3.8m)		
		WIND SPEED	
		Maximum wind speed	50-60 mph (80-96 kph)
MAXIMUM REAR CANOPY		Maximum uplift on roof	13 psf (63.5kgf/m²)
Height from floor	9 ft. 6 in. (2.9m)		